



Curtain Tracks

5090 Autoglide

- Motorised curtain track system purpose designed for light to medium weight curtains. 15kg straight/10kg bent
- Domestic use only
- Automatic end of travel stop
- Maximum standard width 5mtr
- Can be bent to a minimum radius of 250mm (max 2 bends)
- Ceiling or wall fix
- Made to measure, cannot be cut down
- White only
- No pre-wiring necessary - plugs into normal socket.
- Can also be used with the wave option.
- See page 86-87 for use with 50mm Metropole - straight runs only



White

System Options

System 5090
Basic

The basic system offers operation via a fixed manual wall switch.

System 5090IR
with remote control

In addition to the Basic 5090, the optional Infrared Set IR 5093 provides a remote control handset and infrared sensor.

System 5090TL
with timer light unit


The Silent Gliss 5090TL includes the optional Timer Light Set TL 5092 which allows the following operation methods:

1. Open and close with switch on the timer unit.
2. Open and close at pre-programmed times using the timer unit.
3. Open and close using the dawn to dusk light sensor. This can also be set to close curtains in direct sunlight giving protection from light damage (dawn and dusk mode would not be available with this setting). Alternatively a combination of all 3 operation methods can be applied.


System 5090TC
with total control unit

Silent Gliss 5090TC is an option which combines both the Infrared Set (IR 5093) and the Timer Light Set (TL5092) to give total control.

Standard Accessories




Optional Accessories



See page 76 for Wave components



- Motorised track for contract and residential use
- Stacking: single, pair and equal multiple stacks
- Available for use with Wave - see page 76
- Equipped with a 24V DC Motor 9040 or 9041
- Available straight, horizontal or curved.
- Maximum width 10mtr - Max weight 36kg (based on 2mtr straight with rollers)
- Can be equipped with manual override feature
- Ceiling and wall fixing. Can also be recess fixed with the motor mounted above the profile.
- Standard colours - white powder coated or silver. Also available in Bronze and Black - special order.
- Curtain travel speed 15cm/sec
- See page 86-87 for use with 50mm Metropole - straight runs only




System 5200 Standard with 9040 motor


- Interference free
- Thermal overload protection
- Smooth operation - soft start/ stop
- Automatic obstacle detection
- Suitable for all common home automation and bus systems

System 5200 with Integrated Radio Control Receiver and 9041 Motor


Specification matches the 5200 standard system with the addition of the 0450/9940 remote control.




Standard Accessories



9121 Driving set for 5200, containing:



Optional Accessories



System 5400



- Motorised curtain track system for contract and residential use
- The system 5400 is equipped with motor 9020/9021 (90-260VAC)
- Option of integrated radio receiver compatible with Silent Gliss radio remote control system 9940/0450
- Stacking: single, pair and equal multiple stacks.
- Maximum weight 40 kilos.
- Easy ceiling or wall fix. Recess fixing possible. The motor can also be mounted above the profile
- Standard colours: white powder coated or anodised aluminium, bronze and black
- Supplied assembled
- Curtain travel speed 16cm/sec
- Exceptionally quiet motor (<45dba (30cm))
- Available with Wave Standard and Wave XL curtain heading systems
- Can be bent to a minimum radius of 250mm


White

Silver

Bronze


Black

System Options


5400RCR - includes
0450 radio control system

- Equipped with motor type 9021 - has a built in module within the motor to allow for radio controlled system..
- Radio controlled. No wiring from switch to control box.
- Up to 255 house and 255 room addresses.
- Can be retro fitted.
- Simple multi switch possibilities without complex cabling. Control of up to 8 motor groups (can be AA, AA, B, BB and C mixed) both individually and simultaneously from a single gang switch.
- Ability to interface with RS232 and RS485 communication protocols on request.
- Wall switches available in either mirror polish, brushed stainless steel or brass finish.
- Black pattress box as standard, white available on request
- Range: max. 100m
- In some situations a booster may be required for distances over 15m


Standard Accessories



9121 Driving set for 5400, containing products below:



Optional Accessories



See page 76 for Wave components



PowerMotion electric curtain tracks are pre-packed in a range of standard lengths to accommodate most window sizes.

Each unit is pre-assembled and ready for installation but can be cut to size by Price and Company (additional charge applies).

The PowerMotion power pack features the electric drive unit with mains adaptor, control box, remote device/timer (if applicable) and necessary cables.

The motor locates onto the track with a simple twist-n-lock action after the track has been installed.

Step One - Choose Track Length.



PowerMotion	
1.2m	RPM120
1.5m	RPM150
1.8m	RPM180
2.1m	RPM210
2.4m	RPM240
2.7m	RPM270
3.0m	RPM300

Made from extruded aluminium, the PowerMotion curtain track is engineered to provide a strong, robust profile for medium/heavy curtains (up to 15kgs in weight). Special roller gliders ensure ultra smooth opening and closing of curtains

Step Two - Choose Motor and Control Units.

RPM01 - Standard Motor and Remote



A special feature of the Powermotion system is the twist-n-lock electric drive unit 24 volt motor which is connected to the curtain track after it has been installed.

This makes for simple and safe installation. PowerMotion requires no special wiring or professional installation. It functions off a standard domestic wall socket and plug. The cable length from the motor to control panel is 1.90m (For longer lengths please enquire.)

PowerMotion is supplied complete with mains adaptor, motor, control box, connection cables and remote control - Motor and Control code - RPM01.

Timer Option



As above but enables curtains to be opened and closed on a timer as well as remote

Can be added to existing set up - code RPMTIMER or purchased with all necessary components - code RPM02

Secondary Motor



Enables a second track to be connected to another track and motor without the need for extra mains adaptor, control box and remote control - RPM03


Extra cable will be required - please contact us for prices.

Hand Operated Track Systems

Made to Measure only



SYSTEM 1025



- Discreet ceiling fix track ideal for mounting preferably to wood
- Widely used for aircraft, trucks, boats, caravans
- For light curtains and nets
- Pre-drilled every 300mm
- Standard colours: silver, white, bronze and gold
- Standard profile lengths: 6m all colours
- Made to measure - cut and assembled to size
- Can be bent - minimum radius 60mm

Standard Accessories



1025 Profile 3016 Endstop 3534 Glider
3533 in strip form

6835A Special roundhead screw 12mm No. 4

Optional Accessories



- 10430 Draw rod with hook, 50cm
- 10431 Draw rod with hook, 75cm
- 10432 Draw rod with hook, 100cm
- 10433 Draw rod with hook, 125cm
- 10434 Draw rod with hook, 150cm

SYSTEM 1090




- Wall or ceiling fix hand operated curtain track for light curtains
- Unobtrusive but deceptively strong
- Double fixing possible for two parallel curtains with single fixing screw
- Standard profile colours: white, silver (5m and 6m) and bronze (6m)
- Profile connector for longer lengths
- Made to measure - cut and assembled to size
- Can be bent - minimum radius 60mm

Standard Accessories



18R Screw 25mm. No. 8 roundhead

Optional Accessories



- 10430 Draw rod with hook, 50cm
- 10431 Draw rod with hook, 75cm
- 10433 Draw rod with hook, 125cm
- 10434 Draw rod with hook, 150cm
- 10432 Draw rod with hook, 100cm



SYSTEM 1200



White



Silver Anodised



Chrome



Anthracite



Brushed Aluminium




Gunmetal



Black

- Robust and versatile wall and ceiling fix hand operated curtain track
- For light to medium weight curtains
- Patented glider which glides on the profile edge, minimizing friction
- The quick-clip gliders 3933 can be easily added or removed without taking track down or apart
- Easy ceiling or wall fix to all surfaces
- Standard colour: white powder coated
- Metallic line colours available are silver anodised, black, anthracite, gunmetal, brushed aluminium and chrome effect
- Standard length of the profiles is 6m, with the exception of chrome, anthracite and brushed aluminium which are available in 4m lengths
- Made to measure - cut and assembled to size
- Can be bent minimum radius 100mm


Standard Accessories



*(white, black, grey and dark grey)


18R Screw 25mm. No. 8 roundhead

Optional Accessories



10430 Draw rod with hook, 50cm
10431 Draw rod with hook, 75cm
10432 Draw rod with hook, 100cm
10433 Draw rod with hook, 125cm
10434 Draw rod with hook, 150cm
6748 Cheese head machine screw (M4)


SYSTEM 1221



White

- Robust wall fix hand operated curtain track for medium weight curtains in contract applications
- Ideal and used for hotels, schools, hospitals, etc
- Outstanding gliding properties as glider moves on profile edge, minimizing friction
- The quick-clip gliders 3933 can be easily added or removed without taking track down or apart
- Discreet direct to wall fixing to all surfaces. Not pre-drilled to avoid impairing appearance from the room
- Standard colour: white powder coated
- Standard length of the profiles is 5m and 6m
- Cannot be bent.

Standard Accessories




1221 Profile

3984 Endcover

3533 glider in strip form

Optional Accessories



10430 Draw rod with hook, 50cm

10431 Draw rod with hook, 75cm

10432 Draw rod with hook, 100cm

10433 Draw rod with hook, 125cm


10434 Draw rod with hook, 150cm

Hand Operated Track Systems

Made to Measure only



SYSTEM 1225



White

- Robust ceiling fix hand operated track for medium weight curtains in contract applications
- Ideal and used for hotels, schools, hospitals, etc
- Outstanding gliding properties as glider moves on profile edge, minimizing friction
- The quick-clip gliders 3933 can be easily added or removed without taking track down or apart
- Discreet direct to ceiling fixing to all surfaces. Profile is pre-drilled every 300mm
- Standard colour: white powder coated
- Standard length of the profiles is 5m and 6m
- Cannot be bent.

Standard Accessories



1200 Profile



3984 Endcover



3533 glider in strip form

Optional Accessories




Wood Screw (self drilling)



3942 End Stop

- 10430 Draw rod with hook, 50cm
- 10431 Draw rod with hook, 75cm
- 10432 Draw rod with hook, 100cm
- 10433 Draw rod with hook, 125cm
- 10434 Draw rod with hook, 150cm

SYSTEM 1080



- Versatile, sturdy hand-operated curtain track for domestic or contract use
- For medium weight curtains
- Elegant, particularly suited for deep curtain headings
- Standard colours: silver, white, gold, bronze, black, brushed aluminium and cream. Gold and brown brackets are available, otherwise use white
- Standard lengths: 5m (silver and white only), 4mtr (brushed aluminium) 6m (all colours). Profile connector for longer lengths
- Easy ceiling or wall fixing or can be suspended from hanger rods
- Wide variety of accessories for professional fitters
- Profile also used as picture hanging system and for pelmet/valance rails
- Made to measure - cut and assembled to size
- Can be bent - minimum radius 60mm - arch radius 300mm

Standard Accessories



1080 Profile



3667 Endcover (32mm)



3534 Glider 3533 in strip form



3630 Bracket

18R Screw 25mm. No. 8 roundhead

Optional Accessories



0516 Pelmet spacer



3017 Endstop



3016 Endstop



3070 Twist eye endstop



3133 Bracket cover (60mm)




3134 Extension bracket (60mm)




3135 Extension bracket (80mm)



3136 Extension bracket (100mm)



3137 Extension bracket (120mm)



3138 Extension bracket (150mm)



3139 Extension bracket (200mm)



3271 Adjustable bracket base



3272 Adjustable bracket arm (69mm)



3273 Adjustable bracket arm (92mm)



3274 Adjustable bracket arm (122mm)



3275 Adjustable extension bracket set (69mm)



3276 Adjustable extension bracket set (92mm)



3277 Adjustable extension bracket set (122mm)



3533 Glider



3548 Retrofit glider



3570 Rotating glider



3602 Wall support



3603 Top fix bracket



3604 Corner piece



3606 Snap fastener



3618 Wall support



3620 Connecting bridge



3626 Return fixing bracket



3630 Bracket



3638 Re-inforced corner piece for pelmets



3655 Long universal bracket



3660 Extra long universal bracket

3639 Hanger Rod Assembly:



3133L Extended bracket cover for 3138/9



3611 Stud



3612 Support with screw



3697 Rod




3699 Track insert

- 6748 Cheese head machine screw (M4)
- 10430 Draw rod with hook, 50cm
- 10431 Draw rod with hook, 75cm
- 10432 Draw rod with hook, 100cm
- 10433 Draw rod with hook, 125cm
- 10434 Draw rod with hook, 150cm



SYSTEM 1280



- Versatile hand operated curtain track system for contract and domestic applications
- For medium to heavy weight curtains
- Patented roller gliders glide on rim of front channel with very little friction for smooth and easy operation
- Standard profile colour: white
- Easy wall or ceiling fixing
- Available in 4m, 5m and 6m lengths
- Made to measure - cut and assembled to size
- Can be bent - minimum radius 150mm








Standard Accessories





1280 Profile 3630 Bracket 3922 Roller 3985 Endcover

18R Screw 25mm. No. 8 roundhead

Optional Accessories




SYSTEM 3840 - with wave








- For use with Wave Standard and Wave XL curtain heading systems
- Purpose designed for ceiling fixing - neat attractive track
- Ideal for contract or domestic use
- Same appearance from both sides
- Standard length 6m, can be joined
- Made to measure - cut and assembled to size
- Standard colours: silver, white, gold, bronze, black
- For medium weight curtains
- Can be bent - minimum radius 200mm (with wave XL 500mm)

Standard Accessories



1148C Countersunk screw

Optional Accessories



See page 76 for Wave components



3840 with Wave and adjustable brake

Hand Operated Track Systems

Made to Measure only



SYSTEM 6100



Silver



- Hand operated system for domestic and contract applications
- Attractive contemporary appearance for modern interiors
- Can be bent to a small radius for bay windows
- Accessorised with matching endcaps or glass finials
- Easy fitting to wall or ceiling.
- For light to medium curtains
- Profile length 6m (chrome effect 4m)
- Made to measure - cut and assembled to size
- Suitable for Wave Standard and Wave XL curtain heading systems
- Can be bent - minimum radius 200mm (with wave XL 500mm)



Silver



Chrome



Steel Grey



Antique Bronze



Bronze



Gunmetal




Black

Finials




Shard flat finial
Etched - 0991ET
Clear - 0991CL

Standard Accessories





Optional Accessories



See page 76 for Wave components



SYSTEM 6243




- Single channel curtain track for medium to heavyweight applications.
- Thin recess profile with 5.4mm gliding channel.
- Can be bent.
- Minimum bending radius 200mm
- Supplied in white as standard
- Standard profile length is 6m (connecting bridge available for longer lengths)
- Made to measure - cut and assembled to size.
- For use with Wave Standard and Wave XL curtain heading systems.

Standard Accessories



7002 Profile protector 0240 Screw


Optional Accessories




6283 Roller Glider

See page 76 for Wave components

SYSTEM 6290



White



- Ceiling fix safety track - unique gliders separate from the profile when a specific weight is applied. (4-6kg)
- Discreet hand drawn track for contact applications - ideal for schools and hospitals
- Blue glider supplied for the leading edge of the curtain is designed to separate at a higher weight (8-10kg) as more pressure is applied here when curtains are operated.
- The profile is not pre-drilled in order to prevent impairing appearance from the room.
- Profile fixed using self drilling screws. No gap between the profile and the ceiling.
- For light or medium weight curtains.
- White profile only.
- Standard profile length available - 5m and 6m.
- Unique blue and yellow safety gliders for easy identification.
- Made to measure - cut and assembled to size.

Standard Accessories



6290 Profile 6122 Endstop Safety glider (blue) Safety glider (yellow)


Optional Accessories




0688 Wood screw (self drilling)

- 10430 Draw rod with hook, 50cm
- 10431 Draw rod with hook, 75cm
- 10432 Draw rod with hook, 100cm
- 10433 Draw rod with hook, 125cm
- 10434 Draw rod with hook, 150cm

SYSTEM 6021



White



- Wall fix safety track - unique gliders separate from the profile when a specific weight is applied. (4-6kg)
- Discreet hand drawn track for contact applications - ideal for schools and hospitals
- Blue glider supplied for the leading edge of the curtain is designed to separate at a higher weight (8-10kg) as more pressure is applied here when curtains are operated.
- The profile is not pre-drilled in order to prevent impairing appearance from the room.
- No gap between the profile and the wall.
- For light or medium weight curtains.
- White profile only.
- Standard profile length available - 5m and 6m.
- Unique blue and yellow safety gliders for easy identification.
- Made to measure - cut and assembled to size.

Standard Accessories



6021 Profile 6122 Endstop Safety glider (blue) Safety glider (yellow)

Optional Accessories



0688 Wood screw (self drilling)


- 10430 Draw rod with hook, 50cm
- 10431 Draw rod with hook, 75cm
- 10432 Draw rod with hook, 100cm
- 10433 Draw rod with hook, 125cm
- 10434 Draw rod with hook, 150cm

Cord Operated Track Systems

Made to Measure only



SYSTEM 3000



- Strong and elegant, the most attractive corded track available.
- Enclosed cord channels - the cord cannot slip out, making it the perfect choice for bay windows.
- Can be forward and reverse bent - a unique feature made possible by the enclosed channels
- Can be corded from both ends for extra heavy curtains or where one curtain is wider than the other.
- For medium weight curtains
- Easy ceiling or wall fixing
- Standard colours: silver, white, gold, bronze, black, brushed aluminium.
- Standard lengths 5mtr (silver and white) 6mtr (silver, white, gold, bronze and black, 4mtr (brushed aluminium)
- Can be bent (forward and reverse) - The standard bending radius of 200mm can be reduced to as low as 100mm for reverse and forward bends if no overlap arm is used.
- Made to measure - cut and assembled to order. Installation height must be given at time of order.



White



Gold



Silver



Bronze




Brushed Aluminium




Black


Standard Accessories




3288 Cord guide set with return, containing:




Optional Accessories



3289 Cord guide set with return, containing:




3639 Hanger rod assembly containing:






SYSTEM 3900




- Strong and elegant, the most attractive heavy duty track available
- Roller glider glides on rim of front channel - no dust and minimum friction - setting new standards of efficiency (up to 20kg in curtain weight)
- Eye of glider is thrown forward to avoid friction with curtain heading yet remains in perfect balance. Roller gliders in strip form for quick assembly
- Can also be operated by hand with cord retainer 10400
- Easy ceiling or wall fix
- Cord drop easily adjusted without dismantling system
- Can be corded from both ends for extra heavy curtains or where one curtain is wider than the other
- Standard in white - lengths 5m and 6m
- Made to measure - cut and assembled to size. Installation height must be given at time of order.
- Can be bent (forward and reverse) - minimum radius 200mm (reverse 150mm)


Standard Accessories



Optional Accessories




SYSTEM 6370




- Discreet heavy-duty track system with twin channel for infinite overlap
- Cost effective system for small stages, very heavy contract and domestic use etc
- Heavy curtains up to 70kg, and width up to 15m
- Simple direct fixing, ceiling fix preferred. Drilled at approximately 500mm centres
- Profile available in 4, 5 and 6 metre lengths
- Made to measure - cut and assembled to size
- Satin silver finish as standard
- Standard cord drop 300cm, right hand pull
- Can be bent - minimum radius 500mm

Standard Accessories



Optional Accessories




Cord Operated Track Systems

Made to Measure only



SYSTEM 3840



- Purpose designed for ceiling fixing - neat, attractive track
- Ideal for domestic or contract work
- Also can be used as a room divider - same appearance from both sides
- Super-efficient with roller gliders (system 3840R)
- For medium weight curtains
- Standard length 6m. Can be joined
- Made to measure - cut and assembled to size
- Standard colours: silver, white, gold, bronze, black
- Can also be wall mounted
- Standard cord drop 150cm, right-hand pull
- Compatible with Wave Standard and Wave XL curtain heading systems
- Can be bent - Minimum radius 200mm (500mm with wave XL)



White



Silver



Gold



Bronze



Black

Standard Accessories



3841 Profile



10400 Safety Cord Retainer



3090 Cord (ø 3.5mm)



3825 Clamp (35mm)



6288 Overlap arm



6096 Glider 6083 in strip form

1148C Countersunk screw

3845 Cord guide set, containing:



10400 Safety Cord Retainer



3804 Cord guide



6314 Pilot runner



6315 Pilot runner

Optional Accessories



0516 Pelmet spacer




3133 Bracket cover (60mm)



3134 Extension bracket (60mm)



3135 Extension bracket (80mm)



3136 Extension bracket (100mm)



3137 Extension bracket (120mm)



3138 Extension bracket (150mm)



3139 Extension bracket (200mm)



6283 Roller glider



3271 Adjustable bracket base



3272 Adjustable bracket arm (69mm)



3273 Adjustable bracket arm (92mm)



3274 Adjustable bracket arm (122mm)



3275 Adjustable extension bracket set (69mm)



3276 Adjustable extension bracket set (92mm)



3277 Adjustable extension bracket set (122mm)



3802 Connecting bridge



6086 Spring stop



6053 Spring stop



3826 Top fix bracket



3832 Twist clamp



3833 Intermediate pulley guide



3836 Bracket (62mm)



6007 Endstop



6063 Metal overlap arm



6064 Screw twist endstop



6315 Pilot runner



6094 Roller glider with hook



6098 Roller glider with eye



3133L Extended bracket cover for 3138/9

3846 Cord guide set with return, containing:



3816 Corner cord guide




6314 Pilot runner




6315 Pilot runner

System 6103




6103 in Silver anodised , Chrome Effect, White & Gold

System 6100



6101 rail in White and Silver anodised finish

System 1085





1085 Rail in Satin Silver

Available ready, complete, prepacked with all accessories, including hanger rod(s) where applicable.



Sizes:

Model A





3' (91cm)
6' (183cm)
7' (213cm)
8' (244cm)

Model B






2'6" x 2'6"
(76cm x 76cm)
3'0" x 3'0"
(91cm x 91cm)

**Model C
(Left)**



5.6" x 2'6"
(18cm x 76cm)

**Model D
(Right)**



3'0" x 2'6" x 3'0"
(91cm x 76cm x 91cm)


Model E

Special shapes are available for systems 6100 & 6103 but not 1085




System 6103


Standard Accessories




6190 Hanger rod assembly contains:



6501 V-hanger assembly contains:





Optional Accessories




System 6100


Standard Accessories



6190 Hanger rod assembly contains:




6501 V-hanger assembly contains:




6519 Hanger rod

Optional Accessories




System 1085


Standard Accessories




Optional Accessories



System 6100




1. Sleeve 6192
2. Hanger Rod 6191
3. Dust Cover 6110
4. Connecting Bridge 6512
5. Profile 6101
6. Glider/Hook 6147
7. End Stop 6007
8. Track Insert (hidden) 6194
9. Ceiling Support Stud (hidden) 6193




- For over 40 years the most widely used hospital cubicle system in the world
- Also used for many varied industrial and commercial applications
- Attractive profile combines mechanical strength and flexibility with the smoothest performance
- The design detail gives rigidity and strength with great flexibility in layout whilst achieving a clean unbroken line in hospital wards
- The top channel maximises connection positions and suspension variations. The dust cover strip reduces the risk of cross infection
- Quick release safety device is available through distributors for high risk areas, (see System 6650)
- Stand colour silver. Also available in white
- Standard lengths 6101 in metres: 4.5m, 4.75m, 5.0m, 5.25m, 5.5m, 6.0m, 6.75m, 7.5m (silver only). Profile connector available
- For medium to heavy curtains
- An exclusive network of skilled distributors measure, supply and fix all hospital contracts in the U.K. and Eire
- Conforms to HTM66
- White profile incorporates BioCote anti-microbial coating as standard


Typical Layouts.



Standard Accessories




6190 Hanger rod assembly contains:



6501 V-hanger assembly contains:



Optional Accessories



Lateral stability in any cubicle layout is essential to prevent weakening of the wall and ceiling fixtures by lateral movement. Where it is not practical to fit tie bars etc., stability may be obtained by the incorporation of 'V' hangers to the ceiling as shown. Typical methods of obtaining stability by attaching cubicles to corridor (or window) wall. Stability is normally achieved by fixing rail to wall, corridor or window frames. Where it is not practical to fix wall brackets or tie bars, stability can be obtained by use of 'V' hangers to the ceiling.

Double Duty



- White painted rolled steel track
- Can be used for straight and bay windows
- Suitable for heavyweight curtains
Maximum curtain weight for pre notched is 16kg (straight and bay runs)
For Un-notched 16kg (straight runs only)
- Can be corded
- Made to measure - See page 271 for measure sheet - installation height must be given for corded tracks.
- **Is available assembled made to measure, straight or for bays**

Double Duty Contract	
4.88m (16)	05171/16

Double Duty Contract pre notched	
4.88m (16)	05172/16



Double Duty Fittings



Curved Master Slide
05013 - per pair



Straight Master Slide (Metal)
05014/MET - per pair.



Pendulum Slides
05051 - per 200



Ball Bearing End Pulleys
05161 - per pair



End Bracket
05162 - 3.75cm - 6.25cm
05163 - 6.25cm - 8.75cm per pair



Plain Slides
20083 - per 500



Ball Bearing Insert Pulley
05276- per each



Support
3.75cm - 6.25cm
05164 - per each



Support
6.25cm - 8.75cm
05165 - per each



Double Rod End Bracket
12.7cm projection
05183 - per pair



Rod Support
12.7cm projection
05222 - per each



Splice
05224 - per each



I-Slot Support
3.75cm - 6.25cm
05271 - per each



Lock Slide
05279 - per each



Cord
05281/1 - per 100mtr
05281/10 - per 1000mtr



Intermediate Support
Covers
05293 - per 50



Extension Plate
05302 - per each




Cord Tension Pulley
White
20085 - per 20



Steel Tension Pulley
05292 - per each



Filler Set
05218 - per each




Rail Bending Set
05287 - per each

Regular



- White painted rolled steel track
- Can be used for straight and bay windows
- Suitable for all fabric weights
- Can be corded
- Made to measure - See measure sheet on page 271 - installation height must be given for corded tracks
- **Is available assembled made to measure, straight or for bays**

Regular Contract		
2.44m (8)	05121/8	Max Weight 15kg
3.66m (12)	05121/12	13.5kg
4.88m (16)	05121/16	12kg



Regular Fittings



Curved Master Slide
05013 - per pair



Straight Master Slide
(Metal)
05014/MET - per pair.



Ceiling Support
05017 - per each



Support Stirrup
05029 - per each



Pendulum Slide
05035 - per 100



Plain Slides
20083 - per 500



Ball Bearing Insert Pulley
05275 - per each



Double Rod Bracket
12.7cm projection
05234 - per pair



End Pulleys
05076 - per pair



Ball Bearing End Pulley
05077 - per pair



End Brackets -
05078 - 3.75cm - 6.25cm
05079 - 6.25cm - 8.75cm
per each



Support
3.75cm - 6.25cm
05080 - per each



Support
6.25cm - 8.75cm
05046 - per each



Lock Slide
05278 - per each



Double Rod Support
05235 - per each



I-Slot Support 3.75cm -
6.25cm
05273 - per each



Cord
05280/1 - per 100mtr
05280/5 - per 500mtr



Valance Hooks
07095 - per 500



Extension Plate
05302 - per each



Cord Tension Pulley
White
20085 - per 20



Fillers Set
05217 - per each



Splice
05283 - per each



Rail Bending set
05286 - per each

Modal Track



- Anodised aluminium track
- Can be bent to shape for bay windows
- Top or face fixing
- Available in Anodised Silver
- Stainless Steel Brackets
- Accessory pack contains 2 end stops and 2 retainers - can make 2 short lengths out of a long length track.

Modal - Anodised Silver

		Max Weight
2.4m	SMTS/240.ANSV	10kg
3.0m	SMTS/300.ANSV	10.5kg
3.6m	SMTS/360.ANSV	11kg
4.2m	SMTS/420.ANSV	11.5kg
4.8m	SMTS/480.ANSV	12kg

Modal Fittings



Brackets
SMTB.SV - per 2



Gliders
SMTSG.SV - per 4



Accessory Pack
SMTAP.ND - per each

The Modal range is subject to stock availability. The range will be moving to contract form in 2016 - please check before ordering.

Aluglide Track



- Medium to heavyweight curtains
- Aluminium tracks
- Bendable by hand
- Ideal for bay windows and tight bends

Aluglide

		Max Weight
1.5m	AGU00150	9kg
1.8m	AGU00180	10.5kg
2.2m	AGU00220	13kg
2.7M	AGU00270	15.5kg

Aluglide Contract



- Medium to heavyweight curtains
- Aluminium tracks
- Bendable by hand
- Ideal for bay windows and tight bends

Aluglide Contract

3.66m (12)	AGC00366
4.88m (16)	AGC00488

Aluglide Fittings



Gliders
MDA00001 - per 10
07085 - per 1000



Brackets
AGC00001 - per 100



End Stop
MDA00002 - per 2
AGC00003 - per 100



Extension Bracket
AGU00001 - per each
AGC00004 - per 10



End Cap
AGC00005 - per 100

The Aluglide range is subject to stock availability. The range will be moving to contract form in 2016 - please check before ordering.

Lock Seam Valance 15cm



- Medium to heavyweight curtains
- Projection 15-20cm
- Fits directly onto Ultraglide or Swanglide brackets or over existing tracks and poles

Lockseam Fittings



Valance hooks PCA20002 - pack of 20
07095 - pack of 500

Lock Seam Valance

1.0 - 1.8m	LSV60100
1.2 - 2.1m	LSV60120
1.8 - 3.0m	LSV60180
2.5 - 4.0m	LSV60250

Metal Tracks

Ultraglide Pre-corded Track



- Medium to heavyweight curtains
- Pre-corded, white painted, rolled steel track
- Ball bearing pulley sets
- Corded
- Maximum curtain weights apply when the track is fully extended to the maximum size and the intermediate brackets are evenly spaced.

Ultraglide

		Max Weight
1.0 - 1.75m	ULT00100	14kg
1.2 - 2.0m	ULT00120	12kg
1.75 - 3.0m	ULT00175	13.5kg
2.5 - 4.0m	ULT00250	14.5kg
3.0 - 5.5m	ULT00300	15kg

Ultraglide Contract Track

- As packed, top fix only - longer length need 05190 Ceiling Supports
- To face fix requires 05188 and 05189 brackets
- Available per 10 only

Ultraglide Contract

0.76m - 1.22m	ULC00076	per 10
1.22m - 2.18m	ULC00122	per 10
1.68m - 3.05m	ULC00168	per 10
2.18m - 3.81m	ULC00218	per 10

Ultraglide Fittings



End Brackets
05188 - per 50



Support
05160 - per each
05189 - per 100
6.25 - 8.75cm



Ceiling Support
05190 - per 100



Plain Slides
IBA20078 - pack of 20
20083 - per 500



White Tension Pulley
IBA20080 - per each
20085 - per 20



Intermediate Support
Cover
05293 - per 50

Supreme Corded Track



- Durable aluminium corded track
- Roller Gliders
- Quick release leverlock brackets
- Can be easily bent for bay windows
- Universal top or face fixing brackets
- Suitable for medium weight curtains
- Reversible overlap and underlap facility for light control.
- Can be trimmed to size

Supreme Cord

		Max Weight
1.50m	WA980W0150G	8kg
1.75m	WA980W0175G	9kg
2.00m	WA980W0200G	9kg
2.25m	WA980W0225G	10.5kg
2.50m	WA980W0250G	10.5kg
3.00m*	WA980W0300G	12kg
3.50m*	WA980W0350G	12kg
4.00m*	WA980W0400G	14kg
5.00m*	WA980W0500G	15.5kg

*Supplied in 2 parts

Supreme Corded Fittings



Roller Glides
L182WLN - 20 pks of 10
L182WCA - per 500



Lever Lock Brackets
D310WRJ - 10 pks of 5
D315WCB - per 100



Centre Joiner
D312WRJ - per 10

Swanglide Precorded Track



- Light to mediumweight curtains
- Maximum weight applies when the track is extended to the maximum size, the intermediate brackets are evenly spaced and attached to the correct section of the track. (inner or outer)
- Pre-corded, white painted, rolled steel track
- Ball bearing pulley sets
- Corded

Swanglide

		Max Weight
1.0 - 1.75m	02181	10kg
1.75 - 3.0m	02182	11.5kg
2.5 - 4.0m	02185	12.5kg
3.0 - 5.5m	02183	13.5kg

Swanglide Fittings



Plain Slides
IBA20078 - pack of 20
20083 - per 500



White Tension Pulley
IBA20080 - per each
20085 - per 20



Support Stirrup
05029 - per each

Supreme Glide Track



- Durable aluminium uncorded track
- Roller Gliders
- Quick release leverlock brackets
- Can be easily bent for bay windows
- Universal top or face fixing
- Suitable for medium weight curtains
- Can be trimmed to size

Supreme Glide		
		Max Weight
1.25m	WA975W0125G	8kg
1.50m	WA975W0150G	8kg
1.75m	WA975W0175G	9kg
2.00m	WA975W0200G	9kg
2.25m	WA975W0225G	10kg
2.50m	WA975W0250G	10kg
3.00m*	WA975W0300G	11kg
3.50m*	WA975W0350G	11kg
4.00m*	WA975W0400G	13kg
5.00m*	WA975W0500G	13kg

*Supplied in 2 parts

Supreme Glide Rail Only	
3.0m	WA975W0300T
5.0m	WA975W0500T

Supreme Glide Fittings



End Stops
L190WCB - per 50



Roller Glides
L182WLN - 20 pks of 10
L182WCA - per 500



Lever Lock Brackets
D310WRJ - 10 pks of 5
D315WCB - per 100



Centre Joiner
D312WRJ - per 10



Supreme Fitting Set
L175WRR - per each

Discreet Tracks

Top Fix



- Light to medium weight curtains
- White aluminium rail

Discreet Top Fix		
		Max Weight
1.3m	07074/4	12kg
1.9m	07074/6	16kg
2.5m	07074/8	18kg
3.1m	07074/10	21kg

Discreet Contract - Face Fix	
3.8m	07078/36
5.2m	07078/48

Face Fix



Discreet Face Fix		
		Max Weight
1.3m	07073/4	12kg
1.9m	07073/6	16kg
2.5m	07073/8	18kg
3.1m	07073/10	21kg

Discreet Contract - Top Fix	
3.8m	07079/36
5.2m	07079/48

Discreet Fittings



Lubri-Slides
DCA00001 - pack of 10
05062 - per 500



End Stops
DCA00002 - per pair
05063 - per 100



Fitting Set
05099 - per each



Pulley Set
05135 - per pair



Cord
05136 - 250mtr reel



Master Slides
05090 - per pair



Cording Set
07077 - per each

Superluxe Corded Track



- Corded track
- Leverlock brackets
- Suitable for straight and bay windows
- Wall or ceiling fix
- Suitable for heavyweight curtains

Superluxe Track Fittings



Roller Glides
L182WLN - 20 pks of 10



Leverlock Brackets
D310WRJ - 10 pks of 5



Centre Joiner
D312WRJ - per 10

Superluxe Corded

		Max Weight
1.25m	L971W125	5kg
1.50m	L971W150	5kg
1.75m	L971W175	6.5kg
2.00m	L971W200	6.5kg
2.25m	L971W225	8kg
2.50m	L971W250	8kg
2.75m	L971W275	6kg
3.00m*	L971W300*	9kg
3.50m*	L971W350*	9kg
3.75m*	L971W375*	9kg
4.25m*	L971W425*	11kg
5.00m*	L971W500*	12kg

*Supplied in 2 parts

Deluxe Uncorded Track



- Suitable for heavyweight curtains up to 13.6kg
- Ideal for deep headings
- Wall or ceiling fix
- Can be trimmed to size
- Suitable for straight or bay windows
- Can be joined together to create longer lengths

Deluxe Fittings



Gliders
D182WLN - per 20pks of 10
D182WCA - per 500



End Stops
D290WRJ - per 10pks of 2
D290WCB - per 50



Leverlock Brackets
D310WRJ - per 10pks of 5
D315WCB - per 100



Centre Joiner
D312WRJ - per 10



Cording Set With Weights
D602WRW - per each



Overlap Set
D615WRR per each

Deluxe

		Max Weight
1.25m	D100W125	7.5kg
1.50m	D100W150	7.5kg
1.75m	D100W175	7.5kg
2.00m	D100W200	7.5kg
2.25m	D100W225	10.5kg
2.50m	D100W250	10.5kg
2.75m	D100W275	10.5kg

Deluxe Contract rail only

		Max Weight
3.00m	D101W300	12kg
3.75m	D101W375	14kg
5.00m	D101W500	15kg

Sologlyde Uncorded track



- Suitable for medium weight curtains
- Can be used for straight or bay windows.
- Wall or ceiling fixed
- Can be joined together for longer lengths.
- Can be trimmed to size.
- Offers two alternative hanging positions or the option to use a separate liner.

Sologlyde Complete		
		Max Weight
1.25m	S100W125	7kg
1.50m	S100W150	7kg
1.75m	S100W175	9.5kg
2.00m	S100W200	9.5kg
2.25m	S100W225	9.5kg
2.50m	S100W250	11kg
2.75m	S100W275	11kg

Sologlyde Track Fittings



Hook Gliders
S182WLN - 20 pks of 10
S182WCL - per 500



Leverlock Brackets
S210WRJ/N - 10 pks of 5
S210WCB/N - per 50



End Stops
S290WRJ/N - 10pks of 2
S290WCB/N - per 100



Centre Joiner
D312WRJ - per 10



Cording Set
S602WRW/N - per each



Overlap Set
S611WRR - per 5

Sologlyde Contract rail only		
		Max Weight
3.00m	S101W300/N	11kg
5.00m	S101W500/N	13kg
30m	S101W30 (coil)	6kg per mtr

Swish Track Fittings



10cm Metal
Extension Bracket
D132WRJ - 5pks of 2
D132WCN - per 20



12.5cm Metal
Extension Bracket
D133WRJ - 5pks of 2
D133WCN - per 20



15cm Metal
Extension Bracket
D234WRJ - 5pks of 3
D234WCB - per 20



16.5cm Metal
Extension Bracket
D135WCN - per 20



Face Fixed Wall Box
L130WCM - per 50



System Connectors
L111WRR - 5pks of 4
L111WCB - per 50

Valance Track



- Heavy duty valance track
- Snap fix brackets
- Wall or ceiling fixed
- Suitable for straight or bay windows
- Can be trimmed to size

Valance Complete	
1.25m	L400W125
1.50m	L400W150
2.00m	L400W200
2.50m	L400W250
2.75m	L400W275

Valance Fittings



Valance Hooks
L380WLN - 20pks of 10



Valance Extension
Bracket and Connector
L132WRR - 5pks of 2



Connector
L111WRR - 5pks of 4

Plastic Tracks

Super Drape Uncorded Track



- Uncorded aluminium curtain track.
- Ideal for straight or bay windows, can be reverse bent.
- Can be cut to size.
- Suitable for wall and ceiling fixing.

Super Drape Fittings



Gliders
1940 - 5pks of 10



Brackets
1790 - 5pks of 2



End Stop
1792 - 5pks of 2



Joining Piece
1794 - per 5

Super Drape Complete

		Max Weight
1.2m	918/12	5.5kg
1.8m	918/18	5.5kg
2.4m	918/24	8kg
2.7m	918/27	8kg

White Drape Uncorded Track



- Uncorded aluminium curtain track
- Ideal for tight awkward corders
- Ideal for straight and bay windows
- Can be cut to size
- Suitable for wall or ceiling fixing.

White Drape Fittings



Brackets
1960 - 5pks of 5
S1960 - per 500



End Stops
1963 - 10pks of 2
S1963 - per 500



Gliders
1967 - 5pks of 10
S1967 - per 500



Joining Piece
1965 - per 10

White Drape Complete

		Max Weight
1.5m	964W/PP5	4kg
1.8m	964W/PP6	4kg
2.1m	964W/PP7	5kg
2.4m	964W/PP8	5.5kg
2.7m	964W/PP9	6.5kg

White Drape Contract Track Only

3.0m	964W10
3.6m	964W12
4.2m	964W14
4.8m	964W16

Universal PVC Curtain Track



- Uncorded PVC curtain track
- Suitable for light or medium weight curtains
- Can be cut to size
- Suitable for wall or ceiling fixing
- Suitable for straight or bay windows, can be reverse bent

Universal Fittings



Gliders
U30913.X - 10pks of 10



Brackets
U30933.X - 10pks of 5



Joining Piece
U64310.X - per 10



End Caps
U30923.X - 10pks of 2

Universal PVC Track Complete

1.00m	U300/100.X
1.25m	U300/125.X
1.50m	U300/150.X
1.75m	U300/175.X
2.00m	U300/200.X
2.50m	U300/250.X

Universal PVC Track Coil Complete

5.00m	UC300/500.X
-------	-------------

Net Curtain Rods and Wire



115

White Net Rods



- White Finish
- Telescopic

White Net Rods		
	per each	per 10
0.40 - 0.60m	SNR40	RNR40
0.60 - 1.00m	SNR60	RNR60
0.80 - 1.30m	SNR80	RNR80
1.00 - 1.50m	SNR100	RNR100
1.20 - 2.00m	SNR120	RNR120
1.50 - 2.40m	SNR150	RNR150
1.80 - 3.00m	SNR180	RNR180

Net Rod Accessories



L Shaped Screw Hook
RLH - per 10



Stick on Hooks
RSH - per 100
RSH10 - 10pk of 2



Centre Stick on Hooks
RNRCB100 - per 100
RNRCB10 - pack of 10



Sticky Pad Set - 2 ends one centre
PP42 - per 10 sets (carded)



Sticky Pad Set - 2 centre
PP43 - per 10 sets (carded)

Brass Net Rods



- Brass Finish
- Telescopic

Brass Net Rods	
	per 10
0.40 - 0.60m	BNR40
0.60 - 1.00m	BNR60
0.80 - 1.30m	BNR80
1.00 - 1.67m	BNR100
1.20 - 2.00m	BNR120

Brass Net Rod Accessories



Stick on Hooks
RBSH - per 100
RBSH10 - pack of 10



Centre Stick on Hooks
RBCB100 - per 100
RBCB10 - pack of 10

Spring Loaded Net Rods



- White Finish
- Spring loaded - no brackets

Spring Loaded Net Rods	
0.40 - 0.60m	R6116
0.56 - 0.92m	R6122
0.91 - 1.52m	R6136
1.22 - 2.13m	R6148
1.80 - 2.50m	R6172

Curtain Wire



- White
- Plastic Coated

Curtain Wire	
30m	241

Curtain Wire Accessories



Hooks for wire
242 - per 200



Eyes for wire
243 - per 200

Cafe Rods & Draw Rods

Cafe Rods



- White Finish
- Telescopic
- 13mm

Cafe Rods

0.40 - 0.70m	0840W
0.70 - 1.20m	0870W
1.20 - 2.25m	08120W

York Cafe Rods



- Brass Finish
- Telescopic
- 11mm

York Cafe Rods

0.45 - 0.71m	R9218
0.71 - 1.22m	R9228
1.20 - 2.25m	R9248

York Cafe Rod Accessories

Rings - brass
R1440 - pack of 10

Clear Draw Rods



- Transparent Rod
- Pre-packed

Clear Draw Rods

100cm	DRAWROD
-------	---------

White plastic curtain draw rods



- White Finish
- Plastic coated metal

White Draw Rods

50cm	RDR50
75cm	RDR75
100cm	RDR100
125cm	RDR125
150cm	RDR150

Prepacked curtain draw rods



Walnut - col D



White - col W



Gold - col G

- Packed in pairs
- Plastic coated metal

Prepacked Draw Rods

50cm	PDR50
75cm	PDR75
100cm	PDR100

Wooden Prepacked curtain draw rods



White



Walnut



Unfinished



Black



Cream



Gilt



Natural



Teak

- Packed in pairs
- 80cm


Prepacked Wooden Draw Rods

White	RWDRWHI
Walnut	RWDRWAL
Unfinished	RWDRUN
Black	RWDRBLA
Cream	RWDRCRE
Gilt	RWDRGIL
Natural	RWDRNAT
Teak	RWDRTEK

Net Suspension









Bay Window Net Rod



- Screw fixing and self adhesive pads included.
- 526cm

Bay Window Net Rod	
5.26m	JG551

Bay Window Net Rod Accessories

					
Flexible Connector 145/J1 - 10 pks of 2	Solid Connector 145/J2 - 10 pks of 2	Support Bracket 145/J3 - 10 pks of 2	Mid Support 145/J4 - 10 pks of 2	Flexible Rod Ends 145/J6 - 10 pks of 2	Adhesive Pads 145/J5 - 10 pks of 6



Spring Loaded Net Rod



- Strong steel rod.
- Substantial rubber end grips.
- Inside recess fitting with no drilling or brackets.

Spring Loaded Net Rods	
0.40 - 0.60m	SLN00016
0.56 - 0.90m	SLN00022
0.90 - 1.50m	SLN00036
1.20 - 2.10m	SLN00048
1.90 - 2.50m	SLN00072



Swish Monterey & Monaco cafe rods - see page 118

Monterey



Monterey Fittings

Rings
80701.STST - per 12

- Satin steel effect cafe rod
- Clear cylinder finial
- Die cast brackets
- 13/16mm extendable

Monterey Cafe Rod

0.50 - 0.75m	808/001.STST
0.75 - 1.20m	808/002.STST
1.20 - 2.15m	808/003.STST

Monaco



Monaco Fittings

Rings
80701.STST - per 12

- Satin steel effect cafe rod
- Diamanté finial
- Die cast brackets
- 13/16mm extendable

Monaco Cafe Rod

0.50 - 0.75m	807/001.STST
0.75 - 1.20m	807/002.STST
1.20 - 2.15m	807/003.STST

Cafe Rod



Brass - col B



Nickel - col NK

- 12mm extendable cafe rod
- Complete with rings and brackets

12mm Cafe Rod

0.50 - 0.75m	806/001.
0.75 - 1.20m	806/002.
1.20 - 2.15m	806/003.

Oval Net Rods



- White Finish
- Telescopic

Oval Net Rod Accessories

Self Adhesive End Bracket
U70033.X - 10pks of 100
U70043.X - per 2

Self Adhesive Centre Bracket
U79993.X - 10pks of 100
U79943.X - per 2

Nickel Screw Hooks
U70063.NK - 10pks of 100

White Net Rods

0.40 - 0.60m	HVNR/001.X
0.60 - 1.00m	HVNR/002.X
0.80 - 1.30m	HVNR/003.X
1.00 - 1.67m	HVNR/004.X
1.20 - 1.80m	HVNR/005.X
1.50 - 2.40m	HVNR/006.X
1.80 - 3.00m	HVNR/007.X

Tension Rods



- White Finish
- Telescopic

Tension Rods

0.40 - 0.60m	U591/001.X
0.60 - 0.90m	U591/002.X
0.90 - 1.50m	U591/003.X
1.50 - 2.25m	U591/004.X
1.80 - 2.70m	U591/005.X

Cafe Rods



Brass Effect - col B



Nickel - col NK

Black - col BK

- Telescopic

Universal Cafe Rods

0.55 - 0.85m	805/001.
0.85 - 1.35m	805/002.
1.35 - 2.25m	805/003.

Cafe Rod Accessories

Cafe Rings
U80015. - 5 pks of 10

Cafe Rod 11mm

- Brass effect
- Packed in clear acetate



Cafe Rod 11mm

0.71 - 1.22m	660.B
1.22 - 2.13m	661.B
1.68 - 3.05m	662.B

Cafe Rod Fittings

Rings
80015.B - 5 pks of 10

Twist & Fit Tension Rod

- Suitable for sheers & lightweight curtains
- Packed in clear acetate

Twist & Fit Tension Rod

0.40 - 0.61m	592/001.X
0.56 - 0.91m	592/002.X
0.91 - 1.54m	592/003.X
1.22 - 1.83m	592/004.X
1.54 - 2.75m	592/005.X

Expando - Round 9mm Extendable Net Rod

- Bright White
- Polybag packed

Expando - Round 9mm Extendable Net Rod

0.40 - 0.67m	706/001.X
0.60 - 1.00m	706/002.X
0.80 - 1.33m	706/003.X
1.00 - 1.67m	706/004.X
1.20 - 1.80m	706/005.X
1.50 - 2.40m	706/006.X
1.80 - 3.00m	706/007.X

Expando 11mm Net Rods

- Bright white
- Polybag packed

Expando 11mm Net Rods

0.40 - 0.67m	704/001.X
0.60 - 1.00m	704/002.X
0.80 - 1.33m	704/003.X
1.00 - 1.67m	704/004.X
1.20 - 1.80m	704/005.X
1.50 - 2.40m	704/006.X
1.80 - 3.00m	704/007.X

Expando 11mm Extendable Fittings

Self Adhesive End Brackets
70033.X - per 100
70043.X - 10pks of 2

Self Adhesive Centre Brackets
79993.X - per 100
79943.X - 10pks of 2

Expanding Curtain Wire

- Pre-packed with hooks and eyes.
- Polybag packed

Expanding Curtain Wire

1.00m	U220/100.X
1.50m	U220/150.X
2.00m	U220/200.X
2.50m	U220/250.X
3.00m	U220/300.X
5.00m	U220/500.X
30.00m	U220/30M.X

Expanding Curtain Wire Fittings

Additional Screw Hooks
22013.X per 200

Additional Screw Eyes
22023.X per 200

Metal Control Rods

- White
- Packed per 25

Metal Control Rods

0.50m	040/050.X
0.75m	040/075.X
1.00m	040/100.X
1.25m	040/125.X


Metal Control Rods

- White
- Jetsleeve packed per pair

Metal Control Rods

0.50m	J040/050.X
0.75m	J040/075.X
1.00m	J040/100.X
1.25m	J040/125.X

Silent Gliss Pelmet & Valance System



System 1900 is supplied made to measure and ready assembled.

- Available from 1mtr up to 6mtr
- Made to measure
- Suitable for bay windows

Type A

Pelmet system
2116 Silver velcro track


Type B

Pelmet & valance system
2116 Silver velcro track
and either:
1080 white track
3000 white track or
3900 white track


Regency Pelmet Boards



- White Painted
- Complete with pelmet brackets, spacers and velcro
- Available in 15cm & 22cm projections
- Suitable for bay windows
- Up to 6mtr
- Tracks sold separately, assembled but not attached.




Bay Options:




1 Bend Bay
Measurements Required:

A - B
B - C
A - C



2 Bend Bay
Measurements Required:

A - B A - C
B - C A - D
C - D



4 Bend Bay
Measurements Required:

A - B D - E A - D C - A/F
B - C E - F A - E C - A/F
C - D B - F A - F C - F